



Elevations are for illustration purpose only.

Section A - A

Elevation

Isometric view

Axiom product code: SBC self adhesive setting block. Plus a silicone bed on top of the glass.

Axiom product code: ARN handrail.

SWE 35 glazing rubber fitted on the internal face of balustrade.

SRE glazing rubber fitted on the external face of the balustrade.

Axiom 12mm thick toughened glass. Glass to be in accordance with AS1288.

Axiom product code: AMPCD-R Satin Mini post for balustrade. 110mm Baseplate. Post 50 x 50 square profile, 180mm long.

FFL

Axiom mini posts set into position with cement. Cement to be supplied by others.

150 Min  
Max is Dim / 2

510mm Max, dim A  
Maximum width of each glass panel is 1020mm minus the gaps each side of the glass

Axiom product code: ARN handrail.

Ensure glass is glazed in accordance with AS1288. Glass must be blocked to ensure it cannot dislodge from within the frame.

When Axiom products are concealed or in contact with screed, tile bed or another item that could cause corrosion, Axiom products must be adequately protected to prevent any corrosion.

It is the installers responsibility to ensure that any dissimilar metals are kept separated. Axiom Group recommends the use of nylon washers to keep dissimilar metals separated.

\* Read this drawing in conjunction with the relevant engineering drawings. All products must be installed as specified by the engineer.



Style: AxiLume Frameless Balustrade  
Suite: Seascape Suite  
Product: Mini posts core fixed into position with ARN handrail.

Scale as shown @ A1  
Paper Size: A1  
Unless otherwise stated all dimensions are in MM

Drawing n°. SD16-02  
Drawn by: C. Richardson  
Date: 24 / 11 / 2015

Checked by: HM  
Revision: A

Job N°.   
Drawing type: Suite drawing  
This drawing has been produced using AutoCAD LT 2015

Proprietary and Confidential  
This drawing remains the sole property of Axiom Group Investments Pty Ltd. It must not be reproduced in part or in whole without consent from the Directors. Axiom reserves the right to amend drawings in the interest of continuous improvement.  
E & O E